For Certain® and External Hex Connections

Low Profile Abutments and Components

Impladend
ΟΔΟΝΤΙΚΑ ΕΜΦΥΤΕΥΜΑΤΑ Ε.Π.Ε.

www.impladend.com | 2310 501 651 | 210 748 69 00

ZimVie

Easy-to-Use Aesthetic Restorations for Limited Interach Space

Height Matters

The Low Profile Abutment for outstanding screw-retained restorations.

Screw-retained restorations offer proven retrievability and access for single or multi-unit cases, ideal for full-mouth reconstructions and immediate load protocols. ZimVie's Low Profile Abutments provide ease of use and esthetics with one of the lowest restorative profiles available.

- Low restorative height: 2.2 mm
- Supports proper function and occlusion
- Promotes esthetics in limited interach spaces
- 3angles available: 0˚,˚17˚,˚30˚
- Ideal for angle correction





Easy Placement

Ease of use with contoured emergence profiles.

The Low Profile Abutment features a contoured emergence profile designed to facilitate placement in subcrestal and flapless procedures, minimizing the need for bone profiling.

The 4.8 mm restorative platform, regardless of implant diameter, supports surgical efficiency and simplifies the restorative workflow, without the need for excess inventory.

CONTOURED
EMERGENCE PROFILE

ONE RESTORATIVE PLATFORM

Convenient Seating

Low Profile Abutments include a disposable tool for ease of delivery in sterile environments.

Multiple Restorative Options

BellaTek Titanium Bars

- Titanium Temporary Cylinders
- GenTek® Digital Components
- Scan Bar Provisional Protocol with Guided Surgery cases
- Smart Denture Conversions for Immediate Load Provisionals

BELLATEK® BARS

LOW PROFILE PREFORMANCE AND
TITANIUM TEMPORARY CYLINDERS

SMART DENTURE
CONVERSIONS

GENTEK LOW PROFILE
COMPONENTS

SCAN BAR

With its low height, contoured emergence profile, and multiple restorative options, the Low Profile Abutment and Restorative Component Product offering may be an ideal option for your next screw-retained case.

Ordering Information

Low Profile Abutments

3.4 mm	Seating Surface							
Collar Height	One Piece (Non-Hexed)		Two Piece (Hexed)		17° (Hexed)		30° (Hexed)	
1.0 mm	ILPC341U	LPC341U	ILPC341	LPC341	–	–	–	–
2.0 mm	ILPC342U	LPC342U	ILPC342	LPC342	ILPAC3217	LPAC3217	–	–
3.0 mm	ILPC343U	LPC343U	ILPC343	LPC343	–	–	ILPAC3330	LPAC3330
4.0 mm	ILPC34 4U	LPC34 4U	ILPC344	LPC344	ILPAC3417	LPAC3417	–	–
5.0 mm	–	–	–	–	–	–	ILPAC3530	LPAC3530

4.1 mm	Seating Surface							
Collar Height	One Piece (Non-Hexed)		Two Piece (Hexed)		17° (Hexed)		30° (Hexed)	
1.0 mm	ILPC4 41U	LPC4 41U	ILPC4 41	LPC4 41	–	–	–	–
2.0 mm	ILPC4 42U	LPC4 42U	ILPC4 42	LPC4 42	ILPAC4217	LPAC4217	–	–
3.0 mm	ILPC4 43U	LPC4 43U	ILPC4 43	LPC4 43	–	–	ILPAC4330	LPAC4330
4.0 mm	ILPC4 4 4U	LPC4 4 4U	ILPC4 4 4	LPC4 4 4	ILPAC4 417	LPAC4417	–	–
5.0 mm	–	–	–	–	–	–	ILPAC4530	LPAC4530

5.0 mm	Seating Surface							
Collar Height	One Piece (Non-Hexed)		Two Piece (Hexed)		17° (Hexed)		30° (Hexed)	
1.0 mm	ILPC5 41U	LPC5 41U	ILPC541	LPC541	–	–	–	–
2.0 mm	ILPC5 42U	LPC5 42U	ILPC542	LPC542	ILPAC5217	LPAC5217	–	–
3.0 mm	ILPC5 43U	LPC5 43U	ILPC543	LPC543	–	–	ILPAC5330	LPAC5330
4.0 mm	ILPC5 4 4U	LPC5 4 4U	ILPC5 4 4	LPC5 4 4	ILPAC5417	LPAC5417	–	–
5.0 mm	–	–	–	–	–	–	ILPAC5530	LPAC5530

= Certain® Internal Connection = External Hex Connection

Abutment Compatibility

Component	Hexed Abutment	Non-Hexed Abutment
Hexed	Yes	No
Non-Hexed	Yes	Yes

Low Profile Laboratory Tools

Description	Item No.
Lapping Tool	LPC AMI
Polishing Protector	LPCPP

Low Profile Screws

Description	Item No.
Gold-Tite Retaining Screw	LPCGSH
Titanium Retaining Screw	LPCTSH
Waxing Screw	LPC WS

Bone Profilers for Certain/External Hex Connection Low Profile Abutments*

Restorative Platform	Certain Low Profile Abutments	External Hex Low Profile Abutments
3.4 mm	BPCLP34	BPXLP34
4.1 mm	BPCLP41	BPXLP41
5.0 mm	BPCLP5 0	BPXLP50

Low Profile Impression Copings and Analog

Description	Item No.
Pick Up Impression Coping (Hexed)	LPCPIC1
Pick Up Impression Coping (Non-Hexed)	LPCPIC2
Twist Lock™ Impression Coping (Hexed)	LPCTIC1
Twist Lock (Non-Hexed)	LPCTIC2
QuickBridge® Impression Coping	LPCRIC
Lab Analog	LPCL A

Low Profile Provisional Restoration Components

Description	Item No.
Temporary Cylinder (Hexed)	LPCTC1
Temporary Cylinder (Non-Hexed)	LPCTC2
Healing Cap	LPCHC
PreFormance® Temporary Cylinder (Hexed)	LPCPTC1
PreFormance Temporary Cylinder (Non-Hexed)	LPCPTC2
QuickBridge	LPCQB
QuickBridge Replacement Cap	LPCQBCAP
Distal Extension	LPCDE

Low Profile Final Restoration Components

Description	Item No.
Gold Cylinder (Hexed)	LPCGC1
Gold Cylinder (Non-Hexed)	LPCGC2
Castable Cylinder (Hexed)	LPCCC1
Castable Cylinder (Non-Hexed)	LPCCC2
Laser Welded Cylinder	LPC TUC A

Large Hex Driver and Driver Tip

Description	Item No.
Large Hexed Driver	PHD02N, PHD03N*
Large Hexed Driver Tip	RASH3N, RASH8N*
GemLock® Driver Tip	IHX1.2D, IXL1.2D
Azure™ ASC Driver Tips, Torx® Ball	ARA-DT20TB06, ARA-DT24TB06, ARA-DT30TB06, ARA-DT35TB06
Posterior Abutment Driver 17 mmL	PAD00
Standard Abutment Driver 24 mmL	PAD24
Right Angle Abutment Drive	RASA3

* Made narrower to fit with external hexed angled Low Profile Abutments. The Driver and Driver Tips can be identified by a laser marked dot after the item number as pictured below.



Multi-Unit Restorative Components

Description	Item No.
Ti-Base Prosthetic Coping. Includes Gold-Tite and Gluing Screws	ZFX11-ZB-LP-48-US
Gold-Tite Screw	LPCGSH
Azure™ All on X Full Arch Screw 1.22 Hex – 10 pack	ARMU-SOXHX122X10
Azure™ All on X Full Arch Screw Torx* (Angulated Screw Channel) – 10 pack	ARMU-SOXTRXX10
Titanium Retaining Screw	LPC TSH
Try-In Screw	ZFX09-ZB-LP-RS
Scan Body 0.050 screw included	ZF X05Z-ZB-LP- 48
ScanBody Driver Lab use only	ZFX02002067

* Note: Requires an Azure Angulated Screw Channel (ASC) Driver Tip.

For more information, visit ZimVie.com

ZimVie US Corp LLC
4555 RiversideDrive
Palm Beach Gardens, FL 33410
Phone: +1-561-776-6700
Fax: +1-561-776-1272
dentalCS@ZimVie.com

Impladend
ΟΔΟΝΤΙΚΑ ΕΜΦΥΤΕΥΜΑΤΑ Ε.Π.Ε.

ZimVie

Unless otherwise indicated, as referenced herein, all trademarks and intellectual property rights are the property of ZimVie Inc. and its affiliates; and all products are manufactured by one or more of the dental subsidiaries of ZimVie US Corp LLC (Biomet 3i, LLC, etc.) and distributed by ZimVie US Corp LLC and its authorized marketing partners. GenTek is manufactured by Zfx GmbH, a subsidiary of ZimVie. Smart Denture Conversions is manufactured by Smart Denture Conversions, LLC. For additional product information, please refer to the individual product labeling or instructions for use. Product clearance and availability may be limited to certain countries/regions. This material is intended for clinicians only and does not comprise medical advice or recommendations. Distribution to any other recipient is prohibited. This material may not be copied or reprinted without the express written consent of ZimVie and is not for distribution in France. ZV0839-NAM REV C 04/26 ©2026 ZimVie. All rights reserved.